


# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005904A-R2  
**DATE:** 12/10/2004  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Window Crafts.  
**CODE:** W-690-1  
**REVISION DATE:** 02/05/2010

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Window Craftsman</b> <b>6031 Clark Center Avenue</b> <b>Sarasota, FL 34238</b>	<b>Aluminum Fin Frame Double</b> <b>Hung Vinyl Wind Breaker</b> Configuration: XX Vinyl: 0.010" Thick <u>STP PSF</u> Frame: W-4'6" Panel: W-3'6" Pos+14.40 H-7'0" H-4'5" Neg-14.40

SPECIFICATION	PRODUCT RATING
<b>ASTM E547-00/E330-99/02</b>	<b>Design Pressure: +9.6/-9.6 psf</b>

Product Tested By: Certified Testing Laboratories  
Report No: CTLA-1179W  
Expiration Date: October 31, 2012

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122