

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005905-R4  
DATE: 12/10/04  
CERTIFICATION PROGRAM: Structural  
COMPANY: Window Crafts .  
CODE: W-690-1  
REVISION DATE: 01/13/2011

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the Directory of Certified Products at [www.NAMICertification.com](http://www.NAMICertification.com). Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Window Craftsman</b> <b>6031 Clark Center Avenue</b> <b>Sarasota, FL 34238</b>	<b>Aluminum Fin Frame Horizontal</b> <b>Sliding Window</b> Configuration: X/X Glazing: 1/4" Annealed Glass <u>STP PSF</u> Frame: W-6'0" Panel: W-3'1" Pos+60.0 H-6'0" H-5'10" Neg-60.0

SPECIFICATION	PRODUCT RATING
<b>AAMA/NWWDA 101/I.S.2-97/</b> <b>ASTM F588-97</b>	<b>HS-R40</b> <b>FER-Passed</b>

Product Tested By: Certified Testing Laboratories  
Report No: CTLA-1245W  
Expiration Date: April 30, 2015

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "M. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND**  
**MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122