

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011055-R3
DATE: 04/09/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 10/22/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	Series "SH-300" Vinyl Single Hung Window (Nail Fin, Screw & Strap Installation) Configuration: O/X Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" DuPont Butacite Interlayer/ 1/8" Annealed Glass Frame: W-1321mm(52") H-1905mm(75") Sash: W-1251mm(49.25") H-940mm(37")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-02/05/13a/E1996-02/05/14a TAS 201/202/203-94	Class LC-PG70 1321 x 1905 (52 x 75)-H H-LC70 1321 x 1905 (52 x 75) Design Pressure: ±3360 Pa (70 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-14896-1/110-14896-2/110-14896-3/110-14896-4/110-14896-5
W-1965
Expiration Date: **February 28, 2025**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122