

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011056-R3
DATE: 04/09/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 10/27/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsmen 6031 Clark Center Avenue Sarasota, FL 34238	Series "SS-300" Vinyl Horizontal Sliding Window Configuration: XO Nail Fin, Screw & Strap Installation Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" DuPont Butacite Interlayer/ 1/8" Annealed Glass Frame: W-1880mm(74") H-1600mm(63") Panel: W-921mm(36.25") H-1524mm(60")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94 ASTM E1886-02/05/13a/E1996-02/05/14a AAMA/WDMA/CSA 101/I.S.2/A440-05 AAMA/WDMA/CSA 101/I.S.2/A440-08	Design Pressure: +50/-50 psf Wind Zone 2-Missile Level D HS-LC50 1880 x 1600 (74 x 63) Class LC-PG50 1880 x 1600 (74 x 63)-HS

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-14897-1/110-14897-2/110-14897-3/14897-4/110-14897-5/
W-1965
Expiration Date: August 31, 2025

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122