

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012772-R3  
**DATE:** 07/31/2015  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Window Crafts  
**CODE:** 690-1  
**REVISION DATE:** 10/22/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Window Craftsmen</b> <b>6031 Clark Center Avenue</b> <b>Sarasota, FL 34238</b>	<b>Series "SH-201"</b> <b>Vinyl Single Hung Window</b>  Configuration: O/X Glazing: Insulating Glass (Annealed)  Frame: W-1346mm(53") H-1905mm(75") Panel: W-1278mm(50.31") H-939mm(36.97")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class LC-PG75 1346 x 1905 (53 x 75)-H</b> <b>H-LC75 1346 x 1905 (53 x 75)</b> <b>Design Pressure: ±3600 Pa (75 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa (15 psf)</b>

Product Tested By: AIR-INS, Inc.  
Report No: AI-02982-C/W-1965  
Expiration Date: July 31, 2025

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122